



Lead in Drinking Water Sampling Report

**Woodside Elementary School
3195 Woodside Rd
Woodside, CA 94062**

Prepared For:

**Woodside Elementary School District
3195 Woodside Rd
Woodside, CA 94062**

Prepared By:

**Air & Water SCIENCES
Environmental Consultants
625 Second Street, Suite 210
Petaluma, CA 94952**

December 2016



A handwritten signature in blue ink, appearing to read "Chip Prokop".

**Chip Prokop, PE
DWTO T-1 #33506
WDO D-1 #42258**

Lead in Drinking Water Sampling Report

Woodside Elementary School

Introduction

The Woodside Elementary School District (WESD) requested that the potable water at this school used for drinking and cooking by students and staff be tested for the presence of the heavy metal lead. Schools are not required under federal or state law to test potable water sources for lead if their water is supplied by a public water supply system. Federal regulation requires public water supply districts to test water for lead at select residential customer taps and to take corrective action if lead levels exceed the US Environmental Protection Agency (EPA) action level of 15 µg/L. The WESD recognizes that schools, particularly older facilities (pre-1990), may contain sources of lead in the plumbing pipes and fixtures which could contribute to lead levels in school drinking water. The presence of lead in drinking water can lead to adverse health effects in people, especially children. Therefore, AWS was requested to prepare a sampling plan to quantitatively assess the presence and/or amount of lead in the drinking water at schools within the district that were constructed before 1990.

Sources of Lead in Drinking Water at Schools

Lead can enter the drinking water at a school either by being present in the water entering the school from the municipal water source (i.e. public water supply agency) or through the plumbing system within the school where materials containing lead, such as lead pipes, lead solder and fluxes may be present. Stagnant water in the school pipes can have extended contact with lead containing materials and components. Due to these irregular use patterns elevated concentrations of lead could be present in the drinking water. Other factors such as the pH of the water and the temperature can also affect the rate at which lead is absorbed into the water.

Summary of Regulations to Reduce Lead in Drinking Water

In 1986 the Safe Water Drinking Act (SWDA) required the use of “lead-free” pipe, solder, and flux in the installation or repair of any public water system or any plumbing in a residential or non-residential facility providing water for human consumption. Solders and flux are considered to be lead-free when they contain less than 0.2% lead. Before this ban took effect on June 19, 1986, solders used to join water pipes typically contained about 50% lead. Pipes and pipe fittings were considered “lead-free” under the Lead Ban when they contained less than 8% lead. In January 2010, California enacted a law which reduced the maximum allowable lead content of pipes, pipe fittings, plumbing fittings and fixtures used to convey water for

human consumption to less than 0.25% lead of wetted surfaces as determined by a weighted average. On January 4, 2014 the "Reduction of Lead in Drinking Water Act", more commonly known as the Lead Free law, went into effect. This resulted in a national mandate requiring that every pipe, fixture, and fitting used to convey water for potable use contain less than 0.25% of lead by weight.

In 1988, the Lead Contamination Control Act (LCCA) was signed. This required the identification of water coolers that were not lead-free, the removal or repair of water coolers with lead lined tanks, banned the manufacture and sale of water coolers that are not lead-free and required the identification and resolution of lead problems in schools. The LCCA was aimed at secondary and primary schools, kindergartens, daycare centers, water cooler manufacturers and federal, state and local agencies.

In 1991 the Lead and Copper Rule (LCR) was signed into law. The LCR requires public water suppliers to monitor for lead and copper in drinking water at select residential dwellings supplied water by the public agency. If lead or copper are found above the EPA action levels, the water supply agency must provide corrosion treatment.

Lead Contaminant Levels in Drinking Water

The State of California and the City of Santa Rosa must comply with the LCR which sets the federal regulatory action level for lead in water at 15 µg/L for public water supply systems. The regulatory action level is the concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.

The lead testing protocol specified by the LCR and used by public water systems is aimed at identifying system-wide problems rather than problems at outlets in individual buildings. The LCR for public water systems established the US EPA lead action level of 15 µg/L for one liter samples collected at high-risk residences. If more than 10 percent of the samples at residences exceed 15 µg/L, system-wide corrosion control treatment may be necessary. The 15 µg/L action level for public water systems is the trigger level for treatment.

The EPA guidance document for testing for lead in the potable water supply at schools is entitled "*3Ts for Reducing Lead in Drinking Water in Schools, Revised Technical Guidance, October 2006*" (EPA 3Ts). This document recommends that water fountains and/or other outlets used for consumption be taken out of service if lead levels exceed 20 µg/L. This is based on the collection of 250 mL first-draw samples (i.e., samples of water that have remained

stagnant for 8-18 hours prior to flushing or use occurs). The EPA recommends this first-draw sample combined with the 8-18 hour waiting period in order to maximize the likelihood that the highest concentrations of lead are found in the outlets being tested.

Although EPA recommends using a concentration of 20 µg/L as the trigger level to conduct additional testing to determine the source, AWS has recommended, with the school district's concurrence, to use exceedances of 15 µg/L lead in drinking water in the schools as the trigger point to take an outlet out of service and to perform additional testing to determine the source of lead.

Purpose and Scope of Work

The scope of work is to determine if the drinking water in the school contains elevated levels of the heavy metal lead (Pb). The scope of work includes:

- Collect drinking water samples from all high priority outlets.
- Record the manufacturer and model of any water coolers identified and compare them against the list of lead lined water coolers banned by EPA in 1990.
- Compare water sampling results to EPA action level of 15 µg/L for lead.
- Provide recommendations for additional sampling, if needed.

This sampling strategy, procedures and analytical tests were based on guidance provided by the *EPA 3Ts* guidance document.

Site Background

Woodside Elementary School (WES) is located at 3195 Woodside Road, Woodside CA. The school serves children from Kindergarten through 8th grade.

Water Sampling Procedures

Water samples were collected from all high priority drinking water outlets at WES on November 30, 2016. High priority outlets are defined as those that are used regularly for cooking and drinking. These include, if present: drinking fountains (all types), kitchen sinks, classroom combination sinks with drinking fountains, and sinks in teachers' lounges, nurse's offices, and special education and/or home economics classrooms.

The day before sampling school representatives taped off all outlets selected for sampling using tape and plastic bags. This was done on a school day after 3:00_{PM}. The water samples were collected by an AWS environmental scientist in accordance with the *EPA 3Ts* guidance document.

AWS collected a first-draw water sample from each selected outlet, with the exception of the service connection samples, between the hours of 6:00_{AM}-9:00_{AM}. A first-draw sample of water is the first to come out of the tap after a period of inactivity. This water was stagnant, meaning that the outlet was not used for at least eight hours prior to sampling. Since the selected outlets were taped off after the end of the previous school day the outlets had remained stagnant for a period between 8 and 18 hours.

Three (3) samples representative of the water service connection and the municipal water supply main were collected from the cold water outlet that was assumed to be closest to the service connection. Following the *EPA 3Ts* sampling guidelines these samples were not first-draw. The first sample was collected approximately 30 seconds after running the water and the second sample was collected after running the water for approximately three minutes. These samples should be representative of the water quality entering the facility from the service connection and the municipal water supply main, respectively. A duplicate sample was also collected from this outlet as a Quality Assurance/Quality Control (QA/QC) sample.

Samples were collected in a 250 milliliters (ml) laboratory provided container. The sample size is representative of a smaller section of plumbing primarily associated with the fixture providing the water and, therefore, more effective in identifying the source if elevated lead levels are identified. A smaller sample is also more representative of the water serving size consumed by a child.

Samples were each given a unique sampling identification number. The sample location, date, time of collection and the type of outlet were recorded, and are shown on the attached chain-of-custody (COC), proceeded by the attached laboratory report.

AWS collected a total of 50 primary (first-draw) samples from high-priority faucets and drinking water fountains from WES. In addition, three (3) flush samples were collected from the outlet assumed closest to the service connection. These included: one (1) 30 second flush sample, one (1) 3 minute flush sample and one (1) field duplicate of the 3 minute flush sample for QA/QC. The sample locations and types of samples collected are shown on the attached table (Table 1) and the attached figure (Figure 1).

Analytical Methods

Samples were delivered by courier to Alpha Analytical Laboratories in Ukiah, California under standard chain-of-custody procedures. This laboratory is certified by the State of California as part of the Environmental Laboratory Accreditation Program (ELAP# 1551). Water samples were analyzed for lead (Pb) by EPA Method 200.8 which is the determination of trace elements in waters and wastes by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS). The reporting limit as determined by the laboratory is 4 µg/L.

Analytical Results

The analytical results from the testing are shown on the attached table (Table 1). All of the samples collected from this site were below both the EPA's action level of 15 µg/L for lead in public water supply systems and the EPA's 20 µg/L recommendation for lead in school drinking water.

There were no water coolers observed at this school which were banned by EPA in 1990 due to lead lining of the tanks.

Conclusions and Recommendations

As mentioned above, the *EPA 3Ts* guidance document recommends that the sample results should be below 20 µg/L in all outlets that provide drinking or cooking water and that remedial measures be implemented to reduce or eliminate lead sources in outlets that exceed 20 µg/L. The EPA's action level for lead in public water supply systems is 15 µg/L and is used as a trigger to determine when system-wide corrosion control treatment may be necessary. AWS has recommended, with the school district's concurrence, to use exceedances of 15 µg/L lead in drinking water in the schools as the trigger point to take an outlet out of service and to perform additional testing to determine the source.

None of the samples collected at the school site exceeded the EPA action level of 15 µg/L, therefore, no additional testing is warranted at this time.

It is recommended that periodic monitoring of the outlets be performed at all of the schools built before 1990 to ensure that the older suspected lead containing fixtures and solders do not leach into the drinking water supply in the future.

The presence of aerators may contribute to lead in the water if lead-bearing solids have accumulated over time on the aerator; therefore it is also recommended that all aerators in the school be put on a regular maintenance schedule which includes the removal and cleaning of the aerator or the removal and replacement of the aerator if needed.

Limitations

The conclusions and results contained herein are based solely on the information presented in this report. Additional information or contamination that was hidden, undiscovered, inaccessible, or are not a part of the finding presented herein, would result in the modification of the conclusions and recommendations of this report. Any remediation guidelines are minimum general guidelines based solely on the findings contained herein and are not to be considered a complete or detailed set of remediation specifications. AWS is not responsible for the accuracy of information provided by others, or for conditions or consequences arising from relevant facts that were withheld, concealed, undiscovered or not fully disclosed.

The scope of services provided by AWS was limited to the sampling of drinking water outlets identified in this report. Drinking water outlets, hazardous materials or controlled substances not specifically mentioned in this report were not evaluated. AWS is not qualified to present medical advice. If any present or future health issues are in question, it is recommended that the findings in this report be presented to a qualified medical professional for evaluation. AWS is not a law firm and, therefore, makes no representations regarding any potential liability of any person or entity for site conditions.

References

3Ts for Reducing Lead in Drinking Water in Schools: Revised Technical Guidance
United States Environmental Protection Agency, October 2006.

Drinking Water Best Management Practices, United States Environmental Protection Agency,
April 2013




Table 1
Initial Sampling-Analytical Results
Lead (Pb) in Drinking Water
Woodside Elementary
November 30, 2016

Sample ID Number	Type of Outlet	Sample Location	Type of Sample	Lead (Pb) (µg/L)
WES-1-CF-P	Faucet	Library	Flush (30 sec)	13
WES-1S-CF-F	Faucet	Library	Flush (3 min)	13
WES-1M-CF-F	Faucet	Library	Flush (3 min) Field QA/QC	ND
WES-1MQ-CF-F	Faucet	Library	First draw	ND
WES-36-DWS-P	Drinking water fountain in sink	School office	First draw	4.6
WES-48-NS-P	Faucet	Nurse's station	First draw	ND
WES-34-TL-P	Faucet	Staff room	First draw	ND
WES-35-TL-P	Faucet	Staff room	First draw	ND
WES-37-DW-P	Drinking water fountain	Outside (near Room 8)	First draw	ND
WES-38-DWS-P	Drinking water fountain in sink	Room 8	First draw	ND
WES-39-DWS-P	Drinking water fountain in sink	Room 7	First draw	ND
WES-46-CF-P	Faucet	Room 1 A	First draw	ND
WES-45-DWS-P	Drinking water fountain in sink	Room 2	First draw	ND
WES-43-DWS-P	Drinking water fountain in sink	Room 3	First draw	ND
WES-42-DWS-P	Drinking water fountain in sink	Room 5	First draw	ND
WES-44-DW-P	Drinking water fountain	Outside (next to Room 4)	First draw	ND
WES-40-DW-P	Drinking water fountain	Outside (front of school)	First draw	5.0
WES-31-DWS-P	Drinking water fountain in sink	Room 10	First draw	ND
WES-32-DWS-P	Drinking water fountain in sink	Room 12	First draw	ND
WES-33A-BF-P	Drinking water fountain in sink	Outside (near Room 13)	First draw	ND
WES-33B-DW-P	Drinking fountain	Outside (near Room 13)	First draw	ND
WES-6-DW-P	Drinking water fountain	Outside (next to Auditorium)	First draw	ND
WES-6B-BF-P	Bottle filler	Outside (next to Auditorium)	First draw	ND
WES-7-KF-P	Faucet	Sellman Auditorium	First draw	ND
WES-8-DWS-P	Drinking water fountain in sink	Room 37	First draw	ND
WES-10-DW-P	Drinking water fountain	Outside (next to Room 26)	First draw	ND

Notes:

- 1) First draw = initial sample. Flush = collected after water running for time indicated.
- 2) EPA Action Level: >15 ug/L (public water supply); >20 ug/L
- 3) ND= None detected
- 4) Samples analyzed by EPA Method 200.8 (reporting limit 4 ug/L)

Table 1
Initial Sampling-Analytical Results
Lead (Pb) in Drinking Water
Woodside Elementary
November 30, 2016

Sample ID Number	Type of Outlet	Sample Location	Type of Sample	Lead (Pb) (µg/L)
WES-19-DWS-P	Drinking water fountain in sink	Room 26	First draw	ND
WES-18-DWS-P	Drinking water fountain in sink	Room 29	First draw	ND
WES-13-DWS-P	Drinking water fountain in sink	Room 34	First draw	ND
WES-11-DW-P	Drinking water fountain	Outside (near Room 34)	First draw	ND
WES-12-DW-P	Drinking water fountain	Outside (near Room 34)	First draw	ND
WES-14-DWS-P	Drinking water fountain in sink	Room 32	First draw	ND
WES-15-DWS-P	Drinking water fountain in sink	Room 30	First draw	ND
WES-16A-DW-P	Drinking water fountain	Outside (next to Gym)	First draw	ND
WES-16B-BF-P	Bottle filler	Outside (next to Gym)	First draw	ND
WES-21-DW-P	Drinking water fountain in sink	Outside (next to Room 24)	First draw	ND
WES-20-DW-P	Drinking water fountain in sink	Outside (next to Room 24)	First draw	ND
WES-2-DWS-P	Drinking water fountain in sink	Room 24	First draw	ND
WES-23-DWS-P	Drinking water fountain in sink	Room 23	First draw	ND
WES-25A-DW-P	Faucet	Outside (next to Room 20)	First draw	ND
WES-25B-BF-P	Bottle filler	Outside (next to Room 20)	First draw	ND
WES-30-OF-P	Faucet	Outside (next to Room 19)	First draw	ND
WES-29-CF-P	Faucet	Room 19	First draw	ND
WES-27-DWS-P	Drinking water fountain in sink	Room 17	First draw	ND
WES-28-DW-P	Drinking water fountain	Outside (next to Rooms 18, 17)	First draw	ND
WES-26-DWS-P	Drinking water fountain in sink	Room 15	First draw	9.2
WES-47-OF-P	Faucet	Outside (back of school)	First draw	ND
WES-5-DWS-P	Drinking water fountain in sink	Room 38	First draw	ND
WES-4-DWS-P	Drinking water fountain in sink	Room 38 F	First draw	ND
WES-3-DWS-P	Drinking water fountain in sink	Room 39 B	First draw	ND
WES-2-OF-P	Faucet	Room 39	First draw	7.6
WES-24-DWS-P	Drinking water fountain in sink	Room 21	First draw	ND

Notes:

- 1) First draw = initial sample. Flush = collected after water running for time indicated.
- 2) EPA Action Level: >15 ug/L (public water supply); >20 ug/L
- 3) ND= None detected
- 4) Samples analyzed by EPA Method 200.8 (reporting limit 4 ug/L)



Alpha

Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

ELAP Certificates 1551, 2728, and 2922

15 December 2016

Air & Water Sciences

Attn: Aniko Molnar

625 2nd Street, Suite 210

Petaluma, CA 94952

RE: Lead Monitoring Project

Work Order: 16L0002

Enclosed are the results of analyses for samples received by the laboratory on 11/30/16 20:50. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Robbie C. Phillips

Project Manager



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
WES-1-CF-P	16L0002-01	Water	11/30/16 05:29	11/30/16 20:50
WES-1S-CF-F	16L0002-02	Water	11/30/16 05:30	11/30/16 20:50
WES-1M-CF-F	16L0002-03	Water	11/30/16 05:33	11/30/16 20:50
WES-1MQ-CF-F	16L0002-04	Water	11/30/16 05:33	11/30/16 20:50
WES-36-DWS-P	16L0002-05	Water	11/30/16 05:40	11/30/16 20:50
WES-48-NS-P	16L0002-06	Water	11/30/16 05:43	11/30/16 20:50
WES-34-TL-P	16L0002-07	Water	11/30/16 05:46	11/30/16 20:50
WES-35-TL-P	16L0002-08	Water	11/30/16 05:46	11/30/16 20:50
WES-37-DW-P	16L0002-09	Water	11/30/16 05:49	11/30/16 20:50
WES-38-DWS-P	16L0002-10	Water	11/30/16 05:50	11/30/16 20:50
WES-39-DWS-P	16L0002-11	Water	11/30/16 06:00	11/30/16 20:50
WES-46-CF-P	16L0002-12	Water	11/30/16 06:02	11/30/16 20:50
WES-45-DWS-P	16L0002-13	Water	11/30/16 06:03	11/30/16 20:50
WES-43-DWS-P	16L0002-14	Water	11/30/16 06:04	11/30/16 20:50
WES-42-DWS-P	16L0002-15	Water	11/30/16 06:05	11/30/16 20:50
WES-44-DW-P	16L0002-16	Water	11/30/16 06:06	11/30/16 20:50
WES-40-DW-P	16L0002-17	Water	11/30/16 06:07	11/30/16 20:50
WES-31-DWS-P	16L0002-18	Water	11/30/16 06:12	11/30/16 20:50
WES-32-DWS-P	16L0002-19	Water	11/30/16 06:15	11/30/16 20:50
WES-33A-BF-P	16L0002-20	Water	11/30/16 06:16	11/30/16 20:50
WES-6-DW-P	16L0002-21	Water	11/30/16 06:17	11/30/16 20:50
WES-7-KF-P	16L0002-22	Water	11/30/16 06:20	11/30/16 20:50
WES-8-DWS-P	16L0002-23	Water	11/30/16 06:21	11/30/16 20:50
WES-10-DW-P	16L0002-24	Water	11/30/16 06:23	11/30/16 20:50
WES-19-DWS-P	16L0002-25	Water	11/30/16 06:30	11/30/16 20:50
WES-18-DWS-P	16L0002-26	Water	11/30/16 06:32	11/30/16 20:50
WES-13-DWS-P	16L0002-27	Water	11/30/16 06:34	11/30/16 20:50
WES-11-DW-P	16L0002-28	Water	11/30/16 06:37	11/30/16 20:50

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

WES-12-DW-P	16L0002-29	Water	11/30/16 06:38	11/30/16 20:50
WES-14-DWS-P	16L0002-30	Water	11/30/16 06:40	11/30/16 20:50
WES-15-DWS-P	16L0002-31	Water	11/30/16 06:42	11/30/16 20:50
WES-16A-DW-P	16L0002-32	Water	11/30/16 06:43	11/30/16 20:50
WES-21-DW-P	16L0002-33	Water	11/30/16 06:44	11/30/16 20:50
WES-20-DW-P	16L0002-34	Water	11/30/16 06:45	11/30/16 20:50
WES-2-DWS-P	16L0002-35	Water	11/30/16 06:50	11/30/16 20:50
WES-23-DWS-P	16L0002-36	Water	11/30/16 06:52	11/30/16 20:50
WES-25A-DW-P	16L0002-37	Water	11/30/16 07:06	11/30/16 20:50
WES-25B-BF-P	16L0002-38	Water	11/30/16 07:06	11/30/16 20:50
WES-33B-DW-P	16L0002-39	Water	11/30/16 07:09	11/30/16 20:50
WES-16B-BF-P	16L0002-40	Water	11/30/16 07:08	11/30/16 20:50
WES-6B-BF-P	16L0002-41	Water	11/30/16 07:12	11/30/16 20:50
WES-30-OF-P	16L0002-42	Water	11/30/16 07:14	11/30/16 20:50
WES-29-CF-P	16L0002-43	Water	11/30/16 07:16	11/30/16 20:50
WES-27-DWS-P	16L0002-44	Water	11/30/16 07:25	11/30/16 20:50
WES-28-DW-P	16L0002-45	Water	11/30/16 07:27	11/30/16 20:50
WES-26-DWS-P	16L0002-46	Water	11/30/16 07:30	11/30/16 20:50
WES-47-OF-P	16L0002-47	Water	11/30/16 07:32	11/30/16 20:50
WES-5-DWS-P	16L0002-48	Water	11/30/16 07:40	11/30/16 20:50
WES-4-DWS-P	16L0002-49	Water	11/30/16 07:50	11/30/16 20:50
WES-3-DWS-P	16L0002-50	Water	11/30/16 07:58	11/30/16 20:50
WES-2-OF-P	16L0002-51	Water	11/30/16 07:59	11/30/16 20:50
WES-24-DWS-P	16L0002-52	Water	11/30/16 06:55	11/30/16 20:50



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-1-CF-P (16L0002-01)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	13 ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:05	EPA 200.8	C-04
WES-1S-CF-F (16L0002-02)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	13 ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:09	EPA 200.8	C-04
WES-1M-CF-F (16L0002-03)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:13	EPA 200.8	
WES-1MQ-CF-F (16L0002-04)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:18	EPA 200.8	
WES-36-DWS-P (16L0002-05)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	4.6 ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:22	EPA 200.8	
WES-48-NS-P (16L0002-06)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:27	EPA 200.8	
WES-34-TL-P (16L0002-07)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63162	12/06/16 09:34	12/07/16 00:31	EPA 200.8	
WES-35-TL-P (16L0002-08)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63162	12/06/16 09:34	12/06/16 22:46	EPA 200.8	
WES-37-DW-P (16L0002-09)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:34	EPA 200.8	
WES-38-DWS-P (16L0002-10)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:38	EPA 200.8	
WES-39-DWS-P (16L0002-11)								

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-39-DWS-P (16L0002-11)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:42	EPA 200.8	
WES-46-CF-P (16L0002-12)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:47	EPA 200.8	
WES-45-DWS-P (16L0002-13)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:51	EPA 200.8	
WES-43-DWS-P (16L0002-14)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:55	EPA 200.8	
WES-42-DWS-P (16L0002-15)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:59	EPA 200.8	
WES-44-DW-P (16L0002-16)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:16	EPA 200.8	
WES-40-DW-P (16L0002-17)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	5.0 ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:20	EPA 200.8	
WES-31-DWS-P (16L0002-18)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:24	EPA 200.8	
WES-32-DWS-P (16L0002-19)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:28	EPA 200.8	
WES-33A-BF-P (16L0002-20)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:32	EPA 200.8	
WES-6-DW-P (16L0002-21)								

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-6-DW-P (16L0002-21)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:36	EPA 200.8	
WES-7-KF-P (16L0002-22)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:41	EPA 200.8	
WES-8-DWS-P (16L0002-23)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:45	EPA 200.8	
WES-10-DW-P (16L0002-24)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 20:49	EPA 200.8	
WES-19-DWS-P (16L0002-25)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63164	12/06/16 09:39	12/07/16 19:09	EPA 200.8	
WES-18-DWS-P (16L0002-26)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 15:24	EPA 200.8	
WES-13-DWS-P (16L0002-27)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 15:49	EPA 200.8	
WES-11-DW-P (16L0002-28)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 15:54	EPA 200.8	
WES-12-DW-P (16L0002-29)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 15:58	EPA 200.8	
WES-14-DWS-P (16L0002-30)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:02	EPA 200.8	
WES-15-DWS-P (16L0002-31)								

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-15-DWS-P (16L0002-31)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:06	EPA 200.8	
WES-16A-DW-P (16L0002-32)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:10	EPA 200.8	
WES-21-DW-P (16L0002-33)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:14	EPA 200.8	
WES-20-DW-P (16L0002-34)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:18	EPA 200.8	
WES-2-DWS-P (16L0002-35)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:23	EPA 200.8	
WES-23-DWS-P (16L0002-36)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:43	EPA 200.8	
WES-25A-DW-P (16L0002-37)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:47	EPA 200.8	
WES-25B-BF-P (16L0002-38)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:52	EPA 200.8	
WES-33B-DW-P (16L0002-39)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 16:56	EPA 200.8	
WES-16B-BF-P (16L0002-40)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 17:00	EPA 200.8	
WES-6B-BF-P (16L0002-41)								

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-6B-BF-P (16L0002-41)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 17:04	EPA 200.8	
WES-30-OF-P (16L0002-42)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 17:08	EPA 200.8	
WES-29-CF-P (16L0002-43)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 17:12	EPA 200.8	
WES-27-DWS-P (16L0002-44)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 17:16	EPA 200.8	
WES-28-DW-P (16L0002-45)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63165	12/06/16 09:49	12/08/16 15:28	EPA 200.8	
WES-26-DWS-P (16L0002-46)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	9.2 ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:06	EPA 200.8	
WES-47-OF-P (16L0002-47)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:31	EPA 200.8	
WES-5-DWS-P (16L0002-48)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:35	EPA 200.8	
WES-4-DWS-P (16L0002-49)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:39	EPA 200.8	
WES-3-DWS-P (16L0002-50)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:43	EPA 200.8	
WES-2-OF-P (16L0002-51)								

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
WES-2-OF-P (16L0002-51)								
		Sample Type: Water			Sampled: 11/30/16 07:59			
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	7.6 ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:48	EPA 200.8	
WES-24-DWS-P (16L0002-52)								
		Sample Type: Water			Sampled: 11/30/16 06:55			
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	4.0	1	AL63253	12/08/16 09:05	12/08/16 18:52	EPA 200.8	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte(s)	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AL63162 - EPA 200 Series										
Blank (AL63162-BLK1)				Prepared & Analyzed: 12/06/16						
Lead	ND	4.0	ug/L							
LCS (AL63162-BS1)				Prepared & Analyzed: 12/06/16						
Lead	20.6	4.0	ug/L	20.0		103	85-115			
Duplicate (AL63162-DUP1)				Source: 16K2456-27 Prepared & Analyzed: 12/06/16						
Lead	ND	4.0	ug/L		ND				20	
Matrix Spike (AL63162-MS1)				Source: 16K2456-27 Prepared & Analyzed: 12/06/16						
Lead	99.1	4.0	ug/L	100	ND	99.1	70-130			
Matrix Spike (AL63162-MS2)				Source: 16L0002-08 Prepared & Analyzed: 12/06/16						
Lead	105	4.0	ug/L	100	ND	101	70-130			
Matrix Spike Dup (AL63162-MSD1)				Source: 16K2456-27 Prepared & Analyzed: 12/06/16						
Lead	102	4.0	ug/L	100	ND	102	70-130	2.36	20	
Batch AL63164 - EPA 200 Series										
Blank (AL63164-BLK1)				Prepared: 12/06/16 Analyzed: 12/08/16						
Lead	ND	4.0	ug/L							
LCS (AL63164-BS1)				Prepared: 12/06/16 Analyzed: 12/08/16						
Lead	20.6	4.0	ug/L	20.0		103	85-115			
Duplicate (AL63164-DUP1)				Source: 16L0001-21 Prepared: 12/06/16 Analyzed: 12/07/16						
Lead	ND	4.0	ug/L		ND				20	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte(s)	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AL63164 - EPA 200 Series										
Matrix Spike (AL63164-MS1) Source: 16L0001-21 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	102	4.0	ug/L	100	ND	102	70-130			
Matrix Spike (AL63164-MS2) Source: 16L0002-25 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	103	4.0	ug/L	100	ND	103	70-130			
Matrix Spike Dup (AL63164-MSD1) Source: 16L0001-21 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	101	4.0	ug/L	100	ND	101	70-130	0.323	20	
Batch AL63165 - EPA 200 Series										
Blank (AL63165-BLK1) Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	ND	4.0	ug/L							
LCS (AL63165-BS1) Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	21.1	4.0	ug/L	20.0		105	85-115			
Duplicate (AL63165-DUP1) Source: 16L0002-26 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	ND	4.0	ug/L		ND			2.87	20	
Matrix Spike (AL63165-MS1) Source: 16L0002-26 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	103	4.0	ug/L	100	ND	103	70-130			
Matrix Spike (AL63165-MS2) Source: 16L0002-45 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	106	4.0	ug/L	100	ND	105	70-130			
Matrix Spike Dup (AL63165-MSD1) Source: 16L0002-26 Prepared: 12/06/16 Analyzed: 12/08/16										
Lead	104	4.0	ug/L	100	ND	104	70-130	1.66	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte(s)	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AL63253 - EPA 200 Series										
Blank (AL63253-BLK1) Prepared & Analyzed: 12/08/16										
Lead	ND	4.0	ug/L							
LCS (AL63253-BS1) Prepared & Analyzed: 12/08/16										
Lead	21.5	4.0	ug/L	20.0		107	85-115			
Duplicate (AL63253-DUP1) Source: 16L0002-46 Prepared & Analyzed: 12/08/16										
Lead	9.21	4.0	ug/L		9.22			0.148	20	
Matrix Spike (AL63253-MS1) Source: 16L0002-46 Prepared & Analyzed: 12/08/16										
Lead	111	4.0	ug/L	100	9.22	102	70-130			
Matrix Spike (AL63253-MS2) Source: 16L0143-02 Prepared & Analyzed: 12/08/16										
Lead	104	4.0	ug/L	100	ND	104	70-130			
Matrix Spike Dup (AL63253-MSD1) Source: 16L0002-46 Prepared & Analyzed: 12/08/16										
Lead	114	4.0	ug/L	100	9.22	105	70-130	2.45	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192


Air & Water Sciences
625 2nd Street, Suite 210
Petaluma, CA 94952

Project Manager: Aniko Molnar
Project: Lead Monitoring Project
Project Number: WSD/Woodside ES

Reported:
12/15/16 15:04

Notes and Definitions

- C-04 Result confirmed by re-analysis
- P-02 Sample was received with insufficient preservative. Sample was preserved and allowed to sit 24 hours before further processing.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- REC Recovery
- RPD Relative Percent Difference



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
6398 Dougherty Rd #35, Dublin CA 94568
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Please Print PDF report

Lab No 16L0002 Pg 1 of 5

ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Signature below authorizes work under terms stated on reverse side.

Report to		Analysis Request										TAT	Temp upon Receipt						
Company: Air and Water Sciences	Contact: Aniko Molnar/Heidi Bauer	Phone: 707-769-2289	<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Total Number of Containers per Sample ID</div> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 5px;"> Lead (Spa 200.8) </div> </div>										Standard 10 days	Ukiah temp: <u>3.3</u>					
Attn: Heidi Bauer, Aniko Molnar, Chip Prokop and Becky Shellink	INVOICE TO: lesley@awsciences.com	Project ID: WSD											RUSH: 5 days <input type="radio"/> 48 hours <input type="radio"/> Other: <input type="radio"/>	Dublin temp:					
Address: 625 2nd Street, ste 210 Petaluma, CA 94952	Attn: Lesley Hunter	Project No: 1783											Lab preapproval required						
Phone: 707-769-2289	PROJECT NAME: Woodside ES												Sample Notes or DDW Source Numbers:						
Email Addresses for Reports: heidi@awsciences.com, amolnar@awsciences.com, cprokop@awsciences.com, becky@awsciences.com																			
Field Sampler - Printed Name & Signature: Mischa Minkler-Green		Container	Preservative	Matrix															
		250 ml poly	NONE	Water															
Sample Identification	Sampling																		
	Date	Time																	
WES-1-CF-P	11/30/16	5:29	X	X	X	1	X											no aerator	
WES-1S-CF-F		5:30																↓	
WES-1M-CF-F		5:33																	
WES-1MQ-CF-F		5:33																	
WES-36-DWS-P		5:40																	
WES-4B-NS-P		5:43																	
WES-34-TL-P		5:46																aerator	
WES-35-TL-P		5:46																aerator	
WES-37-DWS-P		5:49																	
WES-38-DWS-P		5:50																	
WES-39-DWS-P		6:00																	
WES-46-CF-P		6:02																	
Relinquished by		Received by		Date	Time	DDW Write On EDT Transmission? <input type="radio"/> Yes													
				11/30/16	1330	State System Number: _____													
				11/30	1800	If "Y" please enter the Source Number(s) in the column above													
				11/30	2050	Travel and Site Time:		Mileage:		Misc. Supplies:									



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
6398 Dougherty Rd #35, Dublin CA 94568
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Please Print and Sign PDF report

Lab No 16L0002 Pg 2 of 5

Report to		Signature below authorizes work under terms stated on reverse side.					
Company: Air and Water Sciences Attn: Heidi Bauer, Aniko Molnar, Chip Prokop and Becky Shellink		Contact: Aniko Molnar/Heidi Bauer INVOICE TO: lesley@awsciences.com Attn: Lesley Hunter Ph: 707-769-2289		Phone: 707-769-2289		Project ID: WSD	
Address: 625 2nd Street, ste 210 Petaluma, CA 94952		PROJECT NAME: Woodside ES		Project No: 1783			
Phone: 707-769-2289							
Email Addresses for Reports: heidi@awsciences.com, amolnar@awsciences.com, cprokop@awsciences.com, becky@awsciences.com							
Field Sampler - Printed Name & Signature: Mischa Miniker-Green		Container		Preservative		Matrix	
		250 ml poly		NONE		Water	
Sample Identification		Sampling				Total Number of Containers per Sample ID	
		Date		Time			
WES-45-DWS-P		11/30/16		6:03		1	
WES-43-DWS-P				6:04			
WES-42-DW-P				6:05			
WES-44-DW-P				6:06			
WES-40-DW-P				6:07			
WES-31-DWS-P				6:12			
WES-32-DWS-P				6:15			
WES-33-BF-P				6:16			
WES-41-DW-P				6:17			
WES-7-KF-P				6:20			
WES-8-DWS-P				6:21			
WES-10-DW-P				6:22			
Relinquished by		Received by		Date		Time	
				11/30/16		1330	
				11/30		1800	
				11/30		2050	
Analysis Request						TAT	
						Standard 10 days <input checked="" type="radio"/>	
						RUSH: 5 days <input type="radio"/>	
						48 hours <input type="radio"/>	
						Other: <input type="radio"/>	
						Lab preapproval required <input type="checkbox"/>	
						Temp upon Receipt	
						Ukiah temp: 3.3	
						Dublin temp:	
Sample Notes or DDW Source Numbers:							
DDW Write On EDT Transmission?						<input type="radio"/> Yes	
State System Number:							
If "Y" please enter the Source Number(s) in the column above							
Travel and Site Time:				Mileage:		Misc. Supplies:	



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
6398 Dougherty Rd #35, Dublin CA 94568
925-828-6226 F) 925-828-6309

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format


ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Lab No 1620002 Pg 3 of 5

Signature below authorizes work under terms stated on reverse side.

Report to		Company: Air and Water Sciences		Contact: Aniko Molnar/Heidi Bauer		Phone: 707-769-2289		Analysis Request										TAT		Temp upon Receipt			
Attn: Heidi Bauer, Aniko Molnar, Chip Prokop and Becky Shellink		Address: 625 2nd Street, ste 210 Petaluma, CA 94952		INVOICE TO: lesley@awsciences.com Attn: Lesley Hunter Ph: 707-769-2289		Project ID: WSD												Project No: 1783		Standard 10 days		RUSH: 5 days 48 hours Other:	
Phone: 707-769-2289		PROJECT NAME: Woodside ES		Email Addresses for Reports: heidi@awsciences.com, amolnar@awsciences.com, cprokop@awsciences.com, becky@awsciences.com		Field Sampler - Printed Name & Signature: Mischa Minkler-Green		Container		Preservative		Matrix		Total Number of Containers per Sample ID Lead (Epa 200.8)		Lab preapproval required		Sample Notes or DDW Source Numbers:					
Sample Identification		Sampling		250 ml poly		NONE		Water		1		X											
WES-9-DWS-P		11/30/16 0:30		X		X		X															
WES-18-DWS-P		6:32																					
WES-13-DWS-P		6:34																					
WES-16-DW-P		6:37																					
WES-12-DW-P		6:38																					
WES-14-DWS-P		6:40																					
WES-15-DWS-P		6:42																					
WES-16-DW-P		6:43																					
WES-21-DW-P		6:44																					
WES-20-DW-P		6:46																					
WES-2-DWS-P		6:50																					
WES-23-DWS-P		6:52																					
Relinquished by		Received by		Date		Time		DDW Write On EDT Transmission?		<input type="radio"/> Yes		State System Number:		Travel and Site Time:		Mileage:		Misc. Supplies:					
[Signature]		[Signature]		11/30/16		1:30																	
				11/30		1800																	
				11/30		2050																	



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
6398 Dougherty Rd #35, Dublin CA 94568
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format


*Please include an EDT report**

Lab No **16L0002** Pg **4** of **5**

ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Signature below authorizes work under terms stated on reverse side.

Report to		Contact:		Phone:	Analysis Request										TAT	Temp upon Receipt	
Company: Air and Water Sciences		Aniko Molnar/Heidi Bauer		707-769-2289											Standard 10 days	Ukiah temp:	
Attn: Heidi Bauer, Aniko Molnar, Chip Prokop and Becky Shellink		lesley@awsciences.com		Project ID: WSD											RUSH: 5 days: <input type="radio"/> 48 hours: <input type="radio"/> Other: <input type="radio"/>	3.3	
Address: 625 2nd Street, ste 210 Petaluma, CA 94952		Attn: Lesley Hunter		Project No: 1783												Lab preapproval required	Dublin temp:
Phone: 707-769-2289		PROJECT NAME: Woodside ES															
Email Addresses for Reports: heidi@awsciences.com, amolnar@awsciences.com, cprokop@awsciences.com, becky@awsciences.com																	
Field Sampler - Printed Name & Signature: Mischa Minkler-Green			Container	Preservative	Matrix	Total Number of Containers per Sample ID Lead (EPR 200.B)										Sample Notes or DDW Source Numbers:	
Sample Identification		Sampling		250 ml poly	NONE												
	Date	Time															
WES-25A-DN-P	11/30/16	7:06	X	X	X											1	
WES-25B-BK-P		7:06															
WES-33B-DN-P		7:09															
WES-16BBE-P		7:08															
WES-6B-BE-P		7:12															
WES-30-OF-P		7:14															
WES-29CF-P		7:16															
WES-27DWS-P		7:20															
WES-28-DN-P		7:22															
WES-26-DWS-P		7:30															
WES-47-OF-P		7:32															
WES-5-DWS-P		7:40															
Relinquished by			Received by		Date	Time	DDW Write On EDT Transmission? <input type="radio"/> Yes										
					11/30/16	1330	State System Number:										
					11/30	1800	If "Y" please enter the Source Number(s) in the column above										
					11/30	2050	Travel and Site Time:		Mileage:		Misc. Supplies:						



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Bay Area Laboratory
6398 Dougherty Rd #35, Dublin CA 94568
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No **1620002** Pg **5** of **5**

Report to		Company:		Contact:		Phone:		Signature below authorizes work under terms stated on reverse side.																																																																																															
Air and Water Sciences		Aniko Molnar/Heidi Bauer		707-769-2289		707-769-2289		<table border="1"> <tr> <th colspan="10">Analysis Request</th> <th>TAT</th> <th>Temp upon Receipt</th> </tr> <tr> <td colspan="10"></td> <td>Standard 10 days</td> <td>Ukiah temp: 3.3</td> </tr> <tr> <td colspan="10"></td> <td>RUSH: 5 days</td> <td>Dublin temp:</td> </tr> <tr> <td colspan="10"></td> <td>48 hours</td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Other:</td> <td></td> </tr> <tr> <td colspan="10"></td> <td colspan="2">Lab preapproval required</td> <td></td> </tr> <tr> <td colspan="10"></td> <td colspan="2">Sample Notes or DDW Source Numbers:</td> <td></td> </tr> </table>										Analysis Request										TAT	Temp upon Receipt											Standard 10 days	Ukiah temp: 3.3											RUSH: 5 days	Dublin temp:											48 hours												Other:												Lab preapproval required													Sample Notes or DDW Source Numbers:		
Analysis Request																		TAT	Temp upon Receipt																																																																																				
																		Standard 10 days	Ukiah temp: 3.3																																																																																				
																		RUSH: 5 days	Dublin temp:																																																																																				
										48 hours																																																																																													
										Other:																																																																																													
										Lab preapproval required																																																																																													
										Sample Notes or DDW Source Numbers:																																																																																													
Attn: Heidi Bauer, Aniko Molnar, Chip Prokop and Becky Shellink		INVOICE TO: lesley@awsciences.com		Project ID: WSD		Project No: 1783																																																																																																	
Address: 625 2nd Street, ste 210 Petaluma, CA 94952		Attn: Lesley Hunter		Ph: 707-769-2289		Project No: 1783																																																																																																	
Phone: 707-769-2289		PROJECT NAME: Woodside ES																																																																																																					
Email Addresses for Reports: heidi@awsciences.com, amolnar@awsciences.com, cprokop@awsciences.com, becky@awsciences.com																																																																																																							
Field Sampler - Printed Name & Signature: Mischa Minkler-Green																																																																																																							
Sample Identification		Sampling		Container		Preservative		Matrix		Total Number of Containers per Sample ID																																																																																													
		Date		Time		250 ml bottle		NONE		Water		Lead (Epa 200.8)																																																																																											
WES-4-DWS-P		11/30/16		7:50		X		X		X		1 X																																																																																											
WES-3-DWS-P		↓		7:58		↓		↓		↓		↓																																																																																											
WES-2-DWS-P		↓		7:59		↓		↓		↓		↓																																																																																											
WES-24-DWS-P		↓		6:55		↓		↓		↓		↓																																																																																											
Relinquished by				Received by				Date		Time		DDW Write On EDT Transmission? <input type="radio"/> Yes																																																																																											
								11/30/16		1330		State System Number:																																																																																											
								11/30		1800		If "Y" please enter the Source Number(s) in the column above																																																																																											
								11/30		2050		Travel and Site Time:		Misc. Supplies:																																																																																									